


SPECIES: BLUEFISH



SPECIES: FLUKE - SCUP - BLACK SEA BASS





Figure 1A. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by fleet (Discards, right pie) for each of the 14 species groups (except Atlantic salmon [*Salmo salar*]), based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Appendix Table 4 for fleet abbreviations. Top: bluefish (*Pomatomus saltatrix*); bottom: fluke (*Paralichthys dentatus*) - scup (*Stenotomus chrysops*) - black sea bass (*Centropristis striata*).

SPECIES: HERRING, ATLANTIC



SPECIES: LARGE MESH GROUNDFINCH





Figure 1A, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by fleet (Discards, right pie) for each of the 14 species groups (except Atlantic salmon [*Salmo salar*]), based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Appendix Table 4 for fleet abbreviations.

Top: Atlantic herring (*Clupea harengus*); bottom: large mesh groundfish.

SPECIES: MONKFISH



SPECIES: RED DEESEA CRAB





Figure 1A, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by fleet (Discards, right pie) for each of the 14 species groups (except Atlantic salmon [*Salmo salar*]), based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Appendix Table 4 for fleet abbreviations.

Top: monkfish (*Lophius americanus*); bottom: red deepsea crab (*Chaceon quinque-dens*).

SPECIES: SEA SCALLOP



SPECIES: SKATE COMPLEX





Figure 1A, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by fleet (Discards, right pie) for each of the 14 species groups (except Atlantic salmon [*Salmo salar*]), based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Appendix Table 4 for fleet abbreviations.

Top: sea scallop (*Placopecten magellanicus*); bottom: skate complex (Rajidae).

SPECIES: SMALL MESH GROUNDFINH



SPECIES: SPINY DOGFISH





Figure 1A, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by fleet (Discards, right pie) for each of the 14 species groups (except Atlantic salmon [*Salmo salar*]), based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Appendix Table 4 for fleet abbreviations.

Top: small mesh groundfish; bottom: spiny dogfish (*Squalus acanthias*).

SPECIES: SQUID - BUTTERFISH - MACKEREL



SPECIES: SURFCLAM - OCEAN QUAHOG




Figure 1A, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by fleet (Discards, right pie) for each of the 14 species groups (except Atlantic salmon [*Salmo salar*]), based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Appendix Table 4 for fleet abbreviations.

Top: squid (*Doryteuthis [Amerigo] pealeii*, *Illex illecebrosus*) – butterfish (*Peprilus triacanthus*) – Atlantic mackerel (*Scomber scombrus*); bottom: surfclam (*Spisula solidissima*) - ocean quahog (*Arctica islandica*).

SPECIES: TILEFISH




Figure 1A, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by fleet (Discards, right pie) for each of the 14 species groups (except Atlantic salmon [*Salmo salar*]), based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Appendix Table 4 for fleet abbreviations.
Top: tilefish (*Lopholatilus chamaeleonticeps*).