


## FLEET: Longline OPEN all MA all (Row 1)



## FLEET: Longline OPEN all NE all (Row 2)





Figure 2. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by species groups (Discards, right pie) for 34 nonpilot fleets, based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Table 1 for species group abbreviations; see text and Appendix Table 4 for fleet abbreviations. Standardized Bycatch Reporting Methodology (SBRM) species groups that were filtered out through the importance filter have been aggregated and labeled “Other SBRM;” non-SBRM species have been grouped and labeled “Non-SBRM.”

## FLEET: Hand Line OPEN all NE all (Row 4)



## FLEET: Otter Trawl OPEN all MA sm (Row 5)





Figure 2, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by species groups (Discards, right pie) for 34 nonpilot fleets, based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Table 1 for species group abbreviations; see text and Appendix Table 4 for fleet abbreviations. Standardized Bycatch Reporting Methodology (SBRM) species groups that were filtered out through the importance filter have been aggregated and labeled “Other SBRM;” non-SBRM species have been grouped and labeled “Non-SBRM.”

## FLEET: Otter Trawl OPEN all MA Ig (Row 6)



## FLEET: Otter Trawl OPEN all NE sm (Row 7)





Figure 2, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by species groups (Discards, right pie) for 34 nonpilot fleets, based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Table 1 for species group abbreviations; see text and Appendix Table 4 for fleet abbreviations. Standardized Bycatch Reporting Methodology (SBRM) species groups that were filtered out through the importance filter have been aggregated and labeled “Other SBRM;” non-SBRM species have been grouped and labeled “Non-SBRM.”

## FLEET: Otter Trawl OPEN all NE Ig (Row 8)



## FLEET: Scallop Trawl AA GEN MA all (Row 9)





Figure 2, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by species groups (Discards, right pie) for 34 nonpilot fleets, based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Table 1 for species group abbreviations; see text and Appendix Table 4 for fleet abbreviations. Standardized Bycatch Reporting Methodology (SBRM) species groups that were filtered out through the importance filter have been aggregated and labeled “Other SBRM;” non-SBRM species have been grouped and labeled “Non-SBRM.”

## FLEET: Scallop Trawl OPEN GEN MA all (Row 11)



## FLEET: Otter Trawl, Haddock Separator OPEN all NE Ig (Row 18)





Figure 2, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by species groups (Discards, right pie) for 34 nonpilot fleets, based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Table 1 for species group abbreviations; see text and Appendix Table 4 for fleet abbreviations. Standardized Bycatch Reporting Methodology (SBRM) species groups that were filtered out through the importance filter have been aggregated and labeled “Other SBRM;” non-SBRM species have been grouped and labeled “Non-SBRM.”

## FLEET: Gillnet OPEN all MA sm (Row 23)



## FLEET: Gillnet OPEN all MA lg (Row 24)





Figure 2, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by species groups (Discards, right pie) for 34 nonpilot fleets, based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Table 1 for species group abbreviations; see text and Appendix Table 4 for fleet abbreviations. Standardized Bycatch Reporting Methodology (SBRM) species groups that were filtered out through the importance filter have been aggregated and labeled “Other SBRM;” non-SBRM species have been grouped and labeled “Non-SBRM.”

## FLEET: Gillnet OPEN all MA xlg (Row 25)



## FLEET: Gillnet OPEN all NE lg (Row 27)





Figure 2, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by species groups (Discards, right pie) for 34 nonpilot fleets, based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Table 1 for species group abbreviations; see text and Appendix Table 4 for fleet abbreviations. Standardized Bycatch Reporting Methodology (SBRM) species groups that were filtered out through the importance filter have been aggregated and labeled “Other SBRM;” non-SBRM species have been grouped and labeled “Non-SBRM.”

## FLEET: Gillnet OPEN all NE xlg (Row 28)



## FLEET: Purse Seine OPEN all NE all (Row 30)





Figure 2, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by species groups (Discards, right pie) for 34 nonpilot fleets, based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Table 1 for species group abbreviations; see text and Appendix Table 4 for fleet abbreviations. Standardized Bycatch Reporting Methodology (SBRM) species groups that were filtered out through the importance filter have been aggregated and labeled “Other SBRM;” non-SBRM species have been grouped and labeled “Non-SBRM.”

## FLEET: Scallop Dredge AA GEN MA all (Row 31)



## FLEET: Scallop Dredge AA GEN NE all (Row 32)





Figure 2, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by species groups (Discards, right pie) for 34 nonpilot fleets, based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Table 1 for species group abbreviations; see text and Appendix Table 4 for fleet abbreviations. Standardized Bycatch Reporting Methodology (SBRM) species groups that were filtered out through the importance filter have been aggregated and labeled “Other SBRM;” non-SBRM species have been grouped and labeled “Non-SBRM.”

## FLEET: Scallop Dredge AA LIM MA all (Row 33)



## FLEET: Scallop Dredge AA LIM NE all (Row 34)





Figure 2, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by species groups (Discards, right pie) for 34 nonpilot fleets, based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Table 1 for species group abbreviations; see text and Appendix Table 4 for fleet abbreviations. Standardized Bycatch Reporting Methodology (SBRM) species groups that were filtered out through the importance filter have been aggregated and labeled “Other SBRM;” non-SBRM species have been grouped and labeled “Non-SBRM.”

## FLEET: Scallop Dredge OPEN GEN MA all (Row 35)



## FLEET: Scallop Dredge OPEN GEN NE all (Row 36)





Figure 2, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by species groups (Discards, right pie) for 34 nonpilot fleets, based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Table 1 for species group abbreviations; see text and Appendix Table 4 for fleet abbreviations. Standardized Bycatch Reporting Methodology (SBRM) species groups that were filtered out through the importance filter have been aggregated and labeled “Other SBRM;” non-SBRM species have been grouped and labeled “Non-SBRM.”

## FLEET: Scallop Dredge OPEN LIM MA all (Row 37)



## FLEET: Scallop Dredge OPEN LIM NE all (Row 38)





Figure 2, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by species groups (Discards, right pie) for 34 nonpilot fleets, based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Table 1 for species group abbreviations; see text and Appendix Table 4 for fleet abbreviations. Standardized Bycatch Reporting Methodology (SBRM) species groups that were filtered out through the importance filter have been aggregated and labeled “Other SBRM;” non-SBRM species have been grouped and labeled “Non-SBRM.”

## FLEET: Mid-water Trawl AA all NE all (Row 40)



## FLEET: Mid-water Trawl OPEN all NE all (Row 42)





Figure 2, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by species groups (Discards, right pie) for 34 nonpilot fleets, based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Table 1 for species group abbreviations; see text and Appendix Table 4 for fleet abbreviations. Standardized Bycatch Reporting Methodology (SBRM) species groups that were filtered out through the importance filter have been aggregated and labeled “Other SBRM;” non-SBRM species have been grouped and labeled “Non-SBRM.”

## FLEET: Pots and Traps, Fish OPEN all MA all (Row 43)



## FLEET: Pots and Traps, Fish OPEN all NE all (Row 44)





Figure 2, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by species groups (Discards, right pie) for 34 nonpilot fleets, based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Table 1 for species group abbreviations; see text and Appendix Table 4 for fleet abbreviations. Standardized Bycatch Reporting Methodology (SBRM) species groups that were filtered out through the importance filter have been aggregated and labeled “Other SBRM;” non-SBRM species have been grouped and labeled “Non-SBRM.”

## FLEET: Pots and Traps, Conch OPEN all MA all (Row 45)



## FLEET: Pots and Traps, Conch OPEN all NE all (Row 46)





Figure 2, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by species groups (Discards, right pie) for 34 nonpilot fleets, based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Table 1 for species group abbreviations; see text and Appendix Table 4 for fleet abbreviations. Standardized Bycatch Reporting Methodology (SBRM) species groups that were filtered out through the importance filter have been aggregated and labeled “Other SBRM;” non-SBRM species have been grouped and labeled “Non-SBRM.”

## FLEET: Pots and Traps, Lobster OPEN all MA all (Row 48)



## FLEET: Pots and Traps, Lobster OPEN all NE all (Row 49)





Figure 2, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by species groups (Discards, right pie) for 34 nonpilot fleets, based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Table 1 for species group abbreviations; see text and Appendix Table 4 for fleet abbreviations. Standardized Bycatch Reporting Methodology (SBRM) species groups that were filtered out through the importance filter have been aggregated and labeled “Other SBRM;” non-SBRM species have been grouped and labeled “Non-SBRM.”

## FLEET: Ocean Quahog/Surf Clam Dredge OPEN all MA all (Row 55)



## FLEET: Ocean Quahog/Surf Clam Dredge OPEN all NE all (Row 56)




Figure 2, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by species groups (Discards, right pie) for 34 nonpilot fleets, based on July 2015 through June 2016 data. Because percentages have been rounded, they may not always sum to 100%. See Table 1 for species group abbreviations; see text and Appendix Table 4 for fleet abbreviations. Standardized Bycatch Reporting Methodology (SBRM) species groups that were filtered out through the importance filter have been aggregated and labeled “Other SBRM;” non-SBRM species have been grouped and labeled “Non-SBRM.”