

Appendix II: Summary of the confirmed anecdotal human-caused mortality and serious injury (SI) events involving baleen whale stocks along the Gulf of Mexico Coast, U.S. East Coast, and adjacent Canadian Maritimes, 2012–2016, with number of events attributed to entanglements or vessel collisions by year.

Stock	Mean annual mortality and SI rate (PBR ¹ for reference)	Entanglements	Entanglements Confirmed mortalities (2012, 2013, 2014, 2015, 2016)	Entanglements Confirmed Sis (2012, 2013, 2014, 2015, 2016)	Vessel Collisions	Vessel Collisions Confirmed mortalities (2012, 2013, 2014, 2015, 2016)	Vessel Collisions Confirmed Sis (2012, 2013, 2014, 2015, 2016)
		Annual rate (U.S. waters / Canadian waters/unknown first sighted in U.S./unknown first sighted in Canada)			Annual rate (U.S. waters / Canadian waters/unknown first sighted in U.S./unknown first sighted in Canada)		
Western North Atlantic right whale (<i>Eubalaena glacialis</i>)	5.56 (0.9)	5.15 (0.40/ 0.00/ 2.45/ 1.70)	(2, 0, 2, 0, 2)	(2, .75, 6, 3.5, 7.5)	.41 (0.41/ 0.00/ 0.00/ 0.00)	(0, 0, 0, 0, 1)	(.52, 0, .52, 0, 1)
Gulf of Maine humpback whale (<i>Megaptera novaeangliae</i>)	9.7 (14.6)	7.1 (1.8/ 0.3/ 4.7/ 0.3)	(0, 2, 2, 1, 3)	(4.75, 1.75, 5.5, 7.5, 8)	2.6 (2.6/ 0.00/ 0.00/ 0.00)	(0, 2, 0, 4, 5)	(0, 0, 0, 0, 2)
Western North Atlantic fin whale (<i>Balaenoptera physalus</i>)	2.5 (2.5)	1.1(0/ 0.4 ² / 1.1/ 0)	0, 0, 1, 0, 0)	(0.75, 1, 1.5, 1, 2.25)	1.4 (1.4/ 0.00/ 0.00/ 0.00)	(4, 1, 2, 0, 0)	0
Nova Scotian sei whale (<i>B. borealis</i>)	0.6 (0.5)	0	0	0	0.6 (0.60/ 0.00/ 0.00/ 0.00)	(0, 0, 3, 0, 0)	0
Canadian East Coast minke whale (<i>B. acutorostrata</i>)	7.5 (14)	6.3 (1.3/ 2.35/ 2.3/ 0.35)	(6, 1, 4, 7, 0)	(5, 7, 3, 1, 1.75)	1.0 (0.6/ 0.4/ 0.00/ 0.00)	(1, 0, 2, 2, 0)	0

¹ Potential Biological Removal (PBR)

² Not in area covered by abundance estimate so excluded from total.